

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S16 5	3867	((pre)adj3(scan or view))and(scan or scanned or scanning or scanner)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 17:36
S16 6	606	(S165)and("358"/\$.cccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 17:40
S16 7	58	(S166)and(two or plurality or double)adj3(sensor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 17:42
S16 8	58	(S166)and((two or plurality or double)adj3(sensor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 17:42
S16 9	3867	((pre)adj3(scan or view))and(scan or scanned or scanning or scanner)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 11:05
S17 0	606	(S169)and("358"/\$.cccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 11:05
S17 1	58	(S170)and((two or plurality or double)adj3(sensor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 11:05

EAST Search History

S17 2	16	(S171)and((two or plurality or double)adj3(CCD or CIS))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 11:05
S17 4	9626	((low and high)adj3(resolution))and(ccd or sensor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 12:30
S17 5	1022	(S174)and("358"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 12:31
S17 6	2316	((low and high)adj3(resolution))same(ccd or sensor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 12:33
S17 7	238	(S176)and("358"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 12:34
S17 8	25	(S177)and((pre)adj3(view or scan))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 12:35
S17 9	41	((pre)adj3(view or scan))and(lexmark.as.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 13:14

EAST Search History

S18 0	24034	(low and high)adj2(resolution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 13:14
S18 1	0	((low and high)adj2(resolution))and(S179)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 13:15
S18 2	0	((low and high)adj3(resolution))and(S179)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 13:15
S18 3	89	(pre\$1 scan\$4 or pre scan\$4)and(main scan\$4 same high\$2 resolution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 12:16
S18 5	8	(S183)and(plurality adj2(sensor or CCD))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 12:26
S18 6	6	(S183)and(plurality(sensor or CCD))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 12:59
S18 7	295	(pre\$1 scan\$4 or pre scan\$4).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 13:00

EAST Search History

S18 8	8	(S187)and("358"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 13:03
S18 9	3	(S188)and(high or low)adj3(resolution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 14:13
S19 0	0	(dedicat\$4 or commit\$4 or devote\$4)adj4(pre adj4(scan\$3 or view\$3))same(sensor or CCD)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 15:23
S19 1	3	(dedicat\$4 or commit\$4 or devote\$4)same(pre adj4(scan\$3 or view\$3))same(sensor or CCD)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 15:23
S19 2	456	((double or pre)adj3(scan\$4))same((high or low)adj3(resolution))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 15:29
S19 3	24	(S192)and((high or low)adj4(sensor or CCD))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 15:34
S19 4	3	((S192)and((high or low)adj4(sensor or CCD)))and("358"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 15:56

EAST Search History

S19 5	20	(flatbed scan\$4)same(pre adj3(scan or view))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:05
S19 6	2	"20020140996"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:24
S19 7	2	"6295144"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:30
S19 8	98	((pre\$1 scan\$4)and((main or fine)adj3(scan\$4)))same((high\$1 and low)adj2(resolution))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:34
S19 9	53	(S198)and("358"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:35
S20 0	7	(S199)and(flatbed or platen)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:43
S20 1	21151	((high or low)adj3(resolution))same(sensor or CCD)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 17:04

EAST Search History

S20 2	161	((high or low)adj3(resolution))same(sensor or CCD))and(pre adj(scan or view))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 17:06
S20 3	70	("358"/\$.ccls.)and((((high or low)adj3(resolution))same(sensor or CCD))and(pre adj(scan or view)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 17:07
S20 4	41	(pre)adj3(scan or view)and(lexmark.as.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 14:46
S20 5	14	((pre)adj3(scan or view)and(lexmark.as.))and(@ad<="20030110")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 14:48
S20 6	0	((pre and (fine or master or main))adj3(scan or view)and(lexmark.as.))and(@ad<="20030110")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 14:53
S20 7	0	((pre\$2 and(fine\$2 or master or main))adj3(scan or view)and(lexmark.as.))and(@ad<="20030110")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 14:54
S20 8	12	((pre\$2 and(fine\$2 or master or main or post))adj3(scan or view)and(lexmark.as.))and(@ad<="20030110")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 14:54

EAST Search History

S209	0	((pre\$2 and(fine\$2 or master or main or post))adj3(scan or view)and(lexmark.as.))and((low and high)adj3(resolution))and(@ad<="20030110")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 15:02
S210	0	((pre\$2 and(fine\$2 or master or main or post))adj3(scan or view)and(lexmark.as.))same((low and high)adj3(resolution))and(@ad<="20030110")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 15:03
S211	35	((pre\$2 and(fine\$2 or master or main or post))adj3(scan or view)))same((low and high)adj3(resolution))and(@ad<="20030110")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 15:03
S212	37	((pre\$2 and(fine\$2 or master or main or post))adj3(scan or view)))same((low and high)adj3(resolution))and(@ad<="20031001")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 15:04
S213	22	(S211)and("358"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 15:04
S214	24	(S212)and("358"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 15:05
S215	27	((pre\$2 or first)adj3(scan\$4 or view\$3))adj3(low adj3 resolution))same(sensor or CCD)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 16:01

EAST Search History

S21 6	11	(((((pre\$2 or first)adj3(scan\$4 or view\$3))adj3(low adj3 resolution))same(sensor or CCD))and("358"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 16:02
S21 7	22	(((((pre\$2 or first)adj3(scan\$4 or view\$3))adj3(low adj3 resolution))same(sensor or CCD))and(Flatbed or platen)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 16:02
S21 8	12	(((((post or main or fine or master)adj3(scan\$4 or view\$3))adj3(high adj3 resolution))same(sensor or CCD))and("358"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 16:10
S21 9	0	(((((post or main or fine or master)adj3(scan\$4 or view\$3))adj3(high adj3 resolution))same(sensor or CCD))and(flatbed)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 16:11
S22 0	10	(((((post or main or fine or master)adj3(scan\$4 or view\$3))adj3(high adj3 resolution))same(sensor or CCD))and(flatbed or platen)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 16:11
S22 1	4	(S215)and(S218)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 16:12
S22 2	4	(S216)and(S218)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 16:16

EAST Search History

S22 3	3	(S217)and(S218)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 16:16
S22 4	3733	((pre\$1 or post or main or fine or master)adj3(scan\$4)).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 16:55
S22 5	194	((pre\$1 or post or main or fine or master)adj3(scan\$4)).ti.)and("358"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 16:56
S22 6	25	((pre\$1 or post or main or fine or master)adj3(scan or scanner or scanned or scanning)).ti.)and("358"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 16:57
S22 7	0	(S226)and((low or high)adj3(resolution)same(((high adj3 resolution)or (low adj3 resolution))adj2(sensor or CCD)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 17:02
S22 8	0	(S226)and(((high adj3 resolution)or(low adj3 resolution))adj2(sensor or CCD))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 17:04
S22 9	1	(S226)and(((high adj3 resolution)or(low adj3 resolution))adj4(sensor or CCD))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 17:04

EAST Search History

S23 0	38	"5828461"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 17:09
S23 1	5	"6747757"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 17:11
S23 2	2	"6961153"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 17:12